

PRODUCT NUMBER: NFD11HD Cold Grip Plus 5

Handling in cold conditions of damp, oily or greasy parts with high cut risks. Ideally suited to tasks where workers need a combination of cold and cut protection, but don't want to give up comfort and dexterity.

Honeywell

Overview

Reference Number

NFD11HD

Product Type

Gloves

Range

Thermal Protection

Line

Cold

Brand

Honeywell

Industry

- Agriculture Building and Construction Catering Energy or Electricity Food Industries
- General Industry Green Spaces Logistics Maintenance Minning and Quarrying Offshore
- Ship Building Telecoms Wood Industries

Product Use

Handling in cold conditions of damp, oily or greasy parts with high cut risks. Ideally suited to tasks where workers need a combination of cold and cut protection, but don't want to give up comfort and dexterity.

Features & Benefits

Feature

Orange polyamide / composite fiber knitted glove 3/4 Black foam PVC HPT (Hydropellent technology™) coating Seamless

Brushed synthetic liner

Elastic knitted wrist

Benefit

COMFORT

The ergonomic seamless knit construction conforms better to the natural shape of the hand for greater strength and durability, superior comfort.

Coating won't stiffen when cold, so glove retains its flexibility

RESISTANCE

The Polyamide yarn reduces linting for the most sensitive applications and can be easily laundered for extended use. The foam PVC HPT is a soft, durable and flexible coating that repels liquids to provide a firm wet or dry grip. You need less pressure to handle an oily piece. It also provides an excellent abrasion resistance equal to heavier gloves. The 7 gauge brushed synthetic liner ensures superior insulation from the cold down to -20°C. HYGIENE The dark colors make the glove less dirty.

Technical Description

Description

CE CATEGORY: II Intermediary risks In accordance with standards: EN 420-2003 EEC Basic standards EN 388-2003 Mechanical hazards EN 511-2004 Cold hazards

CHARACTERISTICS:

Orange polyamide / composite fiber knitted glove 3/4 Black foam PVC HPT (Hydropellent technology™) coating Seamless Brushed synthetic liner Elastic knitted wrist

Product Technology

Knitted dipped

Fiber

Polyamide / composite fiber

Gauge

15

Glove/liner color

Orange

Coating Type

PVC HPT

Coating Color

black

Length

25 cm

Harmlessness

In conformity with the European standards

Dexterity

Class 5

Sizes

7S to 11XXL

EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	3
Cutting resistance (Coupe test / ISO 13997)	X/D
Tear resistance	3

NFD11HD - Cold Grip Plus 5

Puncture resistance	2
---------------------	---

EN 511- Protection in cold temperatures:

Resistance to conductive cold	0
Resistance to contact cold	2
Water permeability	0

Packaging Label

Tagging CE HONEYWELL NFD11HD XX EN 420

EN 388: 3X32D EN 511: 020

Certifications

E.C. Declaration of Conformity

EC Category PPE

2

Quality Assurance

ISO 9001 / 2000

EC Certificate Number

0075/797/162/10/15/1008

EC Attestation

EC Attestation

EC Attestation Number

0075/797/162/10/15/1008

Additional Information

User Manual

UI 105

User Information Sheet

105

Maintenance

Storage Information

Minimum packaging 12 pairs.

Cartons of 72 pairs.

Care Instructions

In order to keep its properties, this article should not be cleaned.

© Honeywell International Inc.